# **Material Safety Data Sheet**

Version 4.0 Revision Date 03/13/2010 Print Date 07/28/2010

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 1-Propanol

Product Number : 279544
Brand : Sigma-Aldrich

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Irritant

### **Target Organs**

Nerves., Liver

### GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H316 Causes mild skin irritation.
H318 Causes serious eye damage.
H333 May be harmful if inhaled.
H371 May cause damage to organs.

### Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

# **HMIS Classification**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical hazards: 0

### **NFPA Rating**

Health hazard: 2 Fire: 3 Reactivity Hazard: 0

# **Potential Health Effects**

Sigma-Aldrich - 279544 Page 1 of 6

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation. Vapours may cause

drowsiness and dizziness.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

**Ingestion** May be harmful if swallowed.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Propyl alcohol

Formula : C<sub>3</sub>H<sub>8</sub>O Molecular Weight : 60.1 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
N-Propanol			
71-23-8	200-746-9	603-003-00-0	-

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

### Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

### **Further information**

Use water spray to cool unopened containers.

### **6. ACCIDENTAL RELEASE MEASURES**

# **Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

# 7. HANDLING AND STORAGE

Sigma-Aldrich - 279544 Page 2 of 6

### Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis		
N-Propanol	71-23-8	TWA	100 ppm	2007-01-01	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	cause conce	Eye & Upper Respiratory Tract irritation Not classifiable as a human carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories.					
		TWA	200 ppm 500 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		STEL	250 ppm 625 mg/m3	1989-01-19	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		TWA	200 ppm 500 mg/m3	1997-08-04	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in	The value in mg/m3 is approximate.					

# Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Hand protection

Handle with gloves.

### **Eye protection**

Face shield and safety glasses

### Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form clear, liquid
Colour colourless

# Safety data

pH 8.5 at 200 g/l at 20 °C (68 °F)

Melting point -127 °C (-197 °F) - lit.

Sigma-Aldrich - 279544 Page 3 of 6

Boiling point 97 °C (207 °F) - lit.

Flash point 22 °C (72 °F) - closed cup

Ignition temperature 395 °C (743 °F)

Lower explosion limit 2.1 %(V) Upper explosion limit 13.7 %(V)

Vapour pressure 19.3 hPa (14.5 mmHg) at 20 °C (68 °F)

Density 0.804 g/cm3 at 25 °C (77 °F)

Water solubility completely soluble
Partition coefficient: log Pow: 0.25 - 0.34

n-octanol/water

Relative vapour 2.07

density - (Air = 1.0)

Evaporation rate 1

### 10. STABILITY AND REACTIVITY

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### Conditions to avoid

Heat, flames and sparks.

### Materials to avoid

Strong oxidizing agents

# **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

LD50 Oral - rat - 8,038 mg/kg

LC50 Inhalation - rat - 1 h - 20000 ppm

LC50 Dermal - rabbit - 4,000 mg/kg

### Skin corrosion/irritation

Skin - rabbit - Mild skin irritation

### Serious eye damage/eye irritation

Eyes - rabbit - Severe eye irritation

### Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

Sigma-Aldrich - 279544 Page 4 of 6

no data available

# Specific target organ toxicity - single exposure (GHS)

May cause damage to organs.

### Specific target organ toxicity - repeated exposure (GHS)

no data available

# Aspiration hazard

no data available

#### Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation. Vapours may cause

drowsiness and dizziness.

**Ingestion** May be harmful if swallowed.

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes** Causes eye irritation.

### Signs and Symptoms of Exposure

Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation

### Additional Information RTECS: UH8225000

### 12. ECOLOGICAL INFORMATION

### **Toxicity**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1,000 mg/l - 96 h

Toxicity to daphnia and other aquatic

EC50 - Daphnia magna (Water flea) - 3,642 mg/l - 48 h

# Persistence and degradability

Biodegradability

invertebrates.

## Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### PBT and vPvB assessment

no data available

### Other adverse effects

no data available

### 13. DISPOSAL CONSIDERATIONS

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 1274 Class: 3 Packing group: II

Proper shipping name: n-Propanol

Marine pollutant: No

Poison Inhalation Hazard: No

#### **IMDG**

Sigma-Aldrich - 279544 Page 5 of 6

UN-Number: 1274 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: PROPANOL

Marine pollutant: No

**IATA** 

UN-Number: 1274 Class: 3 Packing group: II

Proper shipping name: n-Propanol

### 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Irritant

#### **DSL Status**

All components of this product are on the Canadian DSL list.

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

N-Propanol	CAS-No. 71-23-8	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
, ,	CAS-No.	<b>Revision Date</b>
N-Propanol	71-23-8	1993-04-24
New Jersey Right To Know Components		
·	CAS-No.	<b>Revision Date</b>
N-Propanol	71-23-8	1993-04-24

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

### **Further information**

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 279544 Page 6 of 6