



ENFORCER Products  
A Division of Acuity Specialty Products  
Group, Inc.  
P.O. Box 1060  
Cartersville, GA 30120  
1-888-805-HELP  
www.zepcommercial.com

# Material Safety Data Sheet

## and Safe Handling and Disposal Information

### Section 1. Chemical Product and Company Identification

**Product name** Grout Cleaner & Whitener  
**Product Code** HD1046  
**Date of issue** 04/04/07 **Supersedes** 05/02/05

**Emergency Telephone Numbers** **For a Medical Emergency:**  
INFOTRAC  
(877) 541-2016 (Toll Free - Calls Recorded)

**For a Transportation Emergency:**  
CHEMTREC  
(800) 424-9300 (Toll Free - Calls Recorded)

**Printing Date:**

**Prepared by** Compliance Services Group  
Acuity Specialty Products Group  
1420 Seaboard Industrial Blvd.  
Atlanta, GA 30318

### Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
HYDROCHLORIC ACID; muriatic acid; hydrogen chloride; HCl	7647-01-0	1 - 10	ACGIH TLV/OSHA PEL (United States). CEIL: 5 ppm 8 hour(s). OSHA PEL (United States). CEIL: 7 mg/m <sup>3</sup> 8 hour(s).
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1 - 5	ACGIH TLV (United States). TWA: 20 ppm 8 hour(s). OSHA PEL (United States). Skin TWA: 50 ppm 8 hour(s).

### Section 3. Hazards Identification

**Acute Effects** **Routes of Entry** Dermal contact. Eye contact. Inhalation. Ingestion.  
**Skin** Skin contact may produce burns. Harmful if absorbed through the skin. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. May cause allergic reactions to certain individuals.  
**Eyes** Causes eye burns. Prolonged contact with eye tissue may cause severe and permanent eye injury (blindness).  
**Inhalation** Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression.  
**Ingestion** May be fatal if swallowed. May cause burns to mouth, throat and stomach.

#### HMIS

<b>Health</b>	<b>3</b>
<b>Fire Hazard</b>	<b>0</b>
<b>Reactivity</b>	<b>0</b>
<b>Personal Protection</b>	<b>D</b>

**Carcinogenic Effects** Not listed as carcinogen by OSHA, NTP or IARC.

**Chronic Effects** Repeated or prolonged exposure to the substance can produce damage to blood, kidneys, liver, upper respiratory tract, central nervous system (CNS). Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

**See Toxicological Information (section 11)**

### Section 4. First Aid Measures

**Eye Contact** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.  
**Skin Contact** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.  
**Inhalation** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion**

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention immediately.

**Section 5. Fire Fighting Measures****Flash Point**

Not applicable.

**Flammable Limits** Not applicable.**Flammability**

Non combustible.

**Fire Hazard**

May decompose to form toxic/corrosive gases.

**Fire-Fighting Procedures**

Not applicable.

**Section 6. Accidental Release Measures****Spill Clean up**

Put on appropriate personal protective equipment (see Section 8). Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

**Section 7. Handling and Storage****Handling**

Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Do not use with other products. Do not reuse product container. Observe label precautions. Wash thoroughly after handling.

**Storage**

Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store below 0°C (32°F). Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

**Section 8. Exposure Controls, Personal Protection****Personal Protection****Protective Clothing (Pictograms)****Eyes**

Splash goggles.

**Body**

Wear appropriate protective clothing to prevent skin contact.  
Recommended: Nitrile gloves. Neoprene gloves. Rubber gloves.  
Synthetic apron.



**Respiratory** Use with adequate ventilation. A respirator is not needed under normal and intended conditions of product use.

**Section 9. Physical and Chemical Properties****Physical State**

Liquid.

**Color** Clear. Colorless to light yellow.**pH**

&lt;1 [Acidic.]

**Odor** Sassafras**Boiling Point**

100°C (212°F)

**Vapor Pressure** Not determined.**Specific Gravity**

1.06 (Water = 1)

**Vapor Density** Not determined.**Solubility**

Easily soluble in cold water, hot water.

**Evaporation Rate** Not determined.**VOC (Consumer)** 22 (g/l). 0.18 lbs/gal 2.10%**Section 10. Stability and Reactivity****Stability and Reactivity**

The product is stable.

**Incompatibility**

Reactive with oxidizing agents, metals, alkalis. Do not use with other products.

**Hazardous Polymerization**

Will not occur.

**Hazardous Decomposition Products**carbon oxides (CO, CO<sub>2</sub>) and chlorine gas**Section 11. Toxicological Information****Toxicity to Animals****Hydrochloric Acid:**

ORAL (LD50): Acute: 900 mg/kg [Rabbit].

VAPOR (LC50): Acute: 3124 ppm 1 hour(s) [Rat].

**Ethylene Glycol Monobutyl Ether:**

ORAL (LD50): Acute: 1746 mg/kg [Rat].

DERMAL (LD50): Acute: 680 mg/kg [Rabbit].

VAPOR (LC50): Acute: 450 ppm 4 hour(s) [Rat (Female)].

**Section 12. Ecological Information****Ecotoxicity**

Not available.

**Biodegradable/OECD**

Not available.

**Section 13. Disposal Considerations****Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

**Waste Stream**

Code: D002

Classification: - (Hazardous waste.)

Origin: - (RCRA waste.)

Consult your local or regional authorities.

**Section 14. Transport Information**

<b>Proper shipping name</b>	Corrosive liquid, acidic, inorganic, n.o.s.(Hydrochloric acid) or Consumer Commodity ORM-D in limited quantities
<b>DOT Classification</b>	Class 8: Corrosive liquid.
<b>UN number</b>	UN3264
<b>TDG Classification</b>	TDG Class 8: Corrosive liquid; 9.2: Environmentally hazardous material.

**Section 15. Regulatory Information**

<b>U.S. Federal Regulations</b>	SARA 313 toxic chemical notification and release reporting: Ethylene Glycol Monobutyl Ether Clean Water Act (CWA) 311: Hydrochloric Acid (RQ 5,000 lbs) Clean air act (CAA) 112 regulated toxic substances: No products were found. All Components of this product are listed or exempt from listing on TSCA inventory.
---------------------------------	---

<b>State Regulations</b>	California prop. 65: No products were found.
<b>WHMIS (Canada)</b>	Class D-1B: Material causing immediate and serious toxic effects (TOXIC). Class D-2B: Material causing other toxic effects (TOXIC). Class E: Corrosive liquid.

**Section 16. Other Information**

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*